

1	Introduction.....	1
1.1	Motivation.....	1
1.2	Objectives of this work	2
1.3	Structure of this work	2
2	The global equivalence ratio concept.....	4
2.1	Equivalence ratios.....	4
2.2	General approach	5
2.3	Measurement techniques to determine the GER	6
2.3.1	Measurement by two thermocouple trees.....	7
2.3.2	Measurement by one corner thermocouple tree.....	7
2.3.3	Measurement by a phi-meter at a representative location.....	8
2.3.4	Measurement by centreline thermocouples and bi-directional pressure probes	8
2.3.5	Measurement by an array of thermocouples and bi-directional pressure probes	9
2.3.6	Expected mass flow	9
2.4	Extensive review of research under application of the GER-concept.....	11
2.4.1	Beyler's hood experiments	11
2.4.2	Hood experiments at the California Institute of Technology	13
2.4.3	Engineering methodology of Gottuk and Lattimer	17
2.4.4	Pitts' algorithm for estimating CO formation	22
2.4.5	Experiments in the ISO 9705 room within the TOXFIRE project	25
2.4.5.1	Original work	25
2.4.5.2	Some remarks on the experiments in the ISO 9705 room within the TOXFIRE project	27

Contents

2.4.6 The iBMB research.....	30
2.4.6.1 Original work	30
2.4.6.2 Some remarks on the experiments in the ISO 9705 room within the iBMB project	33
2.4.7 Wieczorek's methodology.....	36
2.4.7.1 Original work	36
2.4.7.2 Some remarks on Wieczorek's study	39
2.4.8 Conclusions and open questions.....	40
2.4.8.1 Determination of the global equivalence ratio	40
2.4.8.2 The correlation of the CO yields with the GER.....	41
2.4.8.3 Treatment of external combustion.....	45
3 Compartment fire dynamics and plume theory	47
3.1 Scope of application of the GER-concept	47
3.2 Compartment fires without external combustion	49
3.2.1 Mass exchanges in compartment fires	49
3.2.2 Properties of the fire plume	54
3.2.2.1 General characteristics of fire plumes	54
3.2.2.2 Scaling parameters and flame height correlations	55
3.2.2.3 Mass entrainment and combustion in the fire plume	57
3.2.2.4 Behaviour of a flame immersed in the upper layer	60
3.2.3 Vitiating studies	62
3.2.3.1 Phenomenon.....	62
3.2.3.2 Review of vitiating studies	62
3.2.3.3 Examination of the influence of vitiating	64

3.2.4	Pyrolysis in the upper layer	65
3.3	Compartment fires with external combustion	67
3.3.1	Criteria to assess external combustion.....	68
3.3.1.1	The excess fuel factor and its correlation with the GER.....	69
3.3.1.2	The critical mass loss rate and its correlation with the GER.....	69
3.3.1.3	The ignition index and its correlation with the GER	73
3.3.1.4	Extensions of Beyler's external combustion equivalence ratio	75
3.3.1.5	Conclusions about the criteria to assess external combustion	80
3.3.2	Efficiency of external combustion to reduce CO yields.....	81
3.3.2.1	CO reduction in ambient atmospheres	81
3.3.2.2	CO reduction in adjacent hallways	82
4	Applicability of numerical fire simulation	85
4.1	Main features of the Fire Dynamics Simulator.....	85
4.2	Validation studies	88
4.2.1	Literature review	88
4.2.2	Own studies.....	89
4.2.2.1	Fully developed fires in the half-scale and full-scale ISO 9705 compartment.....	89
4.2.2.2	Flame heights and flame extensions	93
4.3	Relationships between mixture fraction, equivalence ratio and ignition index	95
4.3.1	Illustration by the ternary diagram	96
4.3.2	Suitability of the FDS4 suppression algorithm for assessing external combustion	98
4.3.3	Combining FDS4 output data with Beyler's ignition criterion	99

Contents

4.4 Conclusions.....	102
5 Other toxic fire gas components.....	104
5.1 Toxic key species and toxicity models	104
5.2 Applicability of the GER-concept to the key species	107
5.2.1 Nitrogenated fire effluents	107
5.2.2 Halogenated fire effluents.....	109
5.2.3 Sulphur-containing fire effluents	110
5.2.4 Organic fire effluents	111
5.3 Application of the FED model for well-ventilated and under-ventilated situations.....	113
6 Conclusions and open questions.....	116
6.1 Methodology to determine species yields of compartment fires	116
6.2 Open questions	118
7 Summary.....	119
Abbreviations	121
Nomenclature	123
References	127